

Safety Data Sheet

(MSDS)

Xstamper

IssuedDate :16May2008Revised Date :21January2021

SECTION 1	CHEMICAL PRODUCT AND COMPANY IDENTIFICATION	ON
Product Name	: Artline POSTER MARKER 4, 6, 12, 20, 30 Colour : (White)	
	EPP-4, EPP-6, EPP-12, EPP-20, EPP-30	POSTER MARKER
Company Name	: Shachihata Inc.	Poster Marker
Address	: 4-69, Amazuka-cho, Nishi-ku, Nagoya City, 451-0021, Japan	Artine OSTER MARKER
Telephone	: + 81- 52- 521- 3600	Artline POSTER MARKER
Fax	: + 81- 52- 521- 3899	
Contact (e-mail)	: <u>chem-analysis@ngy.shachihata.co.jp</u>	COSTER MARKER
Emergency Call	:+ 81- 52- 521- 3600 (Shachihata Inc. [Japan])	
Recommended us	e : Marker ink	

SECTION 2	HAZARDS IDENTIFICATION	
GHS Classificatio Physical Hazar		OS JER
Health Hazards	s : Not classified	and a second sec
Environmental	Hazards : Classification not possible	H R
LABEL ELEMENT Symbols	S Note : This product does not need to be considered as flammable liquids for Recommendations on the TRANSPORT OF DANGEROUS GOODS, UNITED NATIONS. Refer to section 9 and 14.	
Signal word	: Warning	
Hazard stateme	ent : Flammable liquid and vapour	(H226)
Precautionary [Prevention]		
•	each of children.	(P102)
	rom heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	(P210)
(Response)	thoroughly after handling.	(P264)
•	e : Use dry chemical powder, foam or carbon dioxide to extinguish.	(P370+P378)
	Rinse cautiously with water for several minutes.	(P305+P351+P3
	Remove contact lenses, if present and easy to do. Continue rinsing.	
If eye irritation	n persists : Get medical advice and attention.	(P337+P313)
IF ON SKIN(【Storage】	(or hair) : Take off immediately all contaminated clothing. Rinse skin with water.	(P303+P361+P3
Store in a we 【Disposal】	ell-ventilated place. Keep container tightly closed.	(P403+P233)
•	ontents and container in accordance with local regulations.	(P501)

Artline

SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture Ingredients :

Chemical Name /	Composition	CAS	Hazard Class	Hazard statement
Generic name	weight %	Registry No.	(category)	
Ethanol	1 ~ 10	64-17-5	Flam. Liq. 2	H225
Water	45 ~ 55	7732-18-5	none	none
Synthetic resin	1 ~ 10	Confidential	none	none
Titanium dioxide	30 ~ 40	13463-67-7	none	none
Others	1 ~ 10	Confidential	none	none
total	100			

SECTION 4	FIRST-AID MEASURES
IF INHALED	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Consult a doctor if symptoms persist.
IF ON SKIN	: Remove / Take off immediately all contaminated clothing. Wash with soap and water. If skin irritation/rash occurs or feel unwell, consult a doctor for medical advice.
IF IN EYES	 Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.
IF SWALLOWED	: After rinse mouth immediately, give about 250 ml of water or milk and thin in the stomach, and do not vomit forcibly. Moreover, do not give anything from the mouth to the patient when not conscious. Receive the doctor's treatment (stomach pump) promptly.

SECTION 5 FIRE-FIGHTING MEASURES

: Dry chemical powder, foam or carbon dioxide

UNSUITABLE EXTINGUISHING MEDIA

SPECIFIC EXTINCTION METHOD

SUITABLE EXTINGUISHING MEDIA

For initial stage extinction, carbon dioxide or dry chemical powder.

When a fire extends, fire is extinguished by a large amount of water spray.

Do not discharge extinguishing waters into the aquatic environment.

SPECIAL PROTECTIVE FOR FIRE- FIGHTERS

In the extinction work, an appropriate protective equipment (gloves, glasses, and mask) has to be worn. Because during a fire, hazardous gases may be generated, fire-fighters have to wear self-contained breathing apparatus and other protective equipment.

SECTION 6 ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

: None

Evacuate personnel to safe area. Shut off all sources of ignition.

No Flares, smoking or flame in area. Put on protective equipment. Ensure adequate ventilation.

ENVIRONMENTAL PRECAUTIONS

Do not throw the leakage thing directly into environment

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP

In case of a small spill, remove by absorbing with absorbents (sawdust, soil, sand, waste cloth, etc.), and then wipe off the waste well with waste cloth, and rag.

In case of large spills, prevent leakage by enclosing with nonflammables (earth and sand, etc.)

and collect into empty container by scoop, suction equipment or the like.

SECONDARY ACCIDENT PREVENTION MEASURE

All ignition sources should be quickly removed. (No smoking in vicinity, prohibit sparks or fire sources.)

SECTION 7 HANDLING AND STORAGE

Handling	: Use with adequate ventilation.
	Avoid contact with skin, eyes and clothing.
	Obtain special instructions before use.
	Do not handle until all safety precautions have been read and understood.
	Do not eat, drink or smoke when using this product.
Storage	: Keep containers tightly closed and store in a cool and dry place.

Keep away from heat and flame, ignition source and sunlight. Keep out of the reach of children.

SECTION 8 EXPOSURE CONTROLS AND PERSONAL PROTECTION

OCCUPATIONAL EXPO ACGIH (2020)	OSURE LIMIT		
Ethanol		STEL	1,000 ppm
Titanium dioxide		TWA	10 mg/m ³
OSHA PEL			
Ethanol		TWA	1,000 ppm
Titanium dioxide		TWA	15 mg/m ³
DIRECTIVE 2000/39	/EC		None
Japan Society for Oc	cupational Health	า (2020)	
Titanium dioxide	Dusts Class 2	OEL (total dust)	4 mg/m ³
PERSONAL PROTECT	ION		
Respiratory Protection			tilation, when in long use. Vear mask to prevent organic gas, if necessary.
Hand Protection	Hand Protection : Avoid contact with hands. Wear safety gloves, if necessary.		
Eye Protection	: Avoid cor	ntact with eyes. W	/ear safety glasses, if necessary.
Skin Protection	: Avoid skir	n contact. Wear p	ersonal protection apron, boots, if necessary.

SECTION 9 P	HYSICAL AND CHEMICAL PI	ROPERTIES
Appearance	: White liquid	
Odour	: None	
рН	: No data available	
Boiling point	: 78 ~ 100 °C	
Flash point	: 44 °C (closed cup)	Not sustained combustibility ; Refer to section14
Relative Density (at 2	2 5°C) : 1.3 ~ 1.5 (g/cm ³)	
Solubility in Water	: Soluble	

SECTION 10 STABILITY AND	REACTIVITY
Stability	: Stable under normal handling.
Conditions to Avoid	: High temperature, Direct sunlight, Fire
Incompatible Materials	: Strong oxidising agents
Hazardous Decomposition Products	: CO, CO ₂

SECTION 11	TOXICOLOGICAL INFORMATION			
Acute toxicity	: LD/LC50 values tha [Ethanol]	at are releva	ant for classification	
	Oral-rat Inhalation-rat	LD50 LC50	>5,000 mg/kg >20 mg/L/4h	
	i i i i alation-rat	LC30	~20 mg/L/4n	

Carcinogenicity : Titanium dioxide has been classified by the IARC as Group 2B. Other materials ; Not contain any component that is considered a human carcinogen by IARC, ACGIH, EPA, EU or NTP.

Regarding the carcinogenicity of titanium dioxide, International Agency for Research on Cancer (IARC) has classified as a group 2B. However, ACGIH(American Conference of Governmental Industrial Hygienists), EPA(Environmental Protection Agency), EU (European Chemicals Agency), NTP (National Toxicology Program, USA) in the classification of suspected carcinogenic to humans has not been done. Therefore, as the ink product we could not classify the carcinogenicity of GHS from that there is no sufficient data.

SECTION 12	ECOLOGICAL INFORMATION		
Hazardous to the	aquatic environment (acute)	: Classification not possible	
Hazardous to the	aquatic environment (chronic)	: Classification not possible	
Hazardous to the	ozone layer	: Classification not possible	

SECTION 13 DISPOSAL CONSIDERATIONS

Disposal must be made according to official regulations. Comply with all Federal, State, and Local regulations regarding disposal. **Do not allow product to reach ground, any water course or sewage system.**

SECTION 14 T	RANSPORT INFORMATION	
UN number	(DOT, ADR, IMDG, IATA)	: None
UN proper shipping	name (DOT, ADR, IMDG, IATA)	: None
UN Classification		: None
Packing group	(DOT, ADR, IMDG, IATA)	: None
Marine pollutant (Y/	N)	: N
EmS number		: None

This product has passed the SUSTAINED COMBUSTIBILITY TEST prescribed in the UN Manual of Tests and Criteria, Part III, subsection 32.5.2. Liquids with a flash point of more than 35°C which do not sustain combustion need not be considered as flammable liquids. Refer to Recommendations on the TRANSPORT OF DANGEROUS GOODS, UNITED NATIONS - Seventeenth revised edition (ST/SG/AC.10/1/Rev.17) CHAPTER 2.3 CLASS 3 - FLAMMABLE LIQUIDS (see 2.3.1.2 and 2.3.1.3), IATA Dangerous Goods Regulations Section 3.3.1.3 and IMDG Code Section 2.3.1.3.

SECTION 15 REGULATORY INFORMATION

Symbols : GHS02 Signal word : Danger	quids, Category 2 Ily flammable liquid and vapour	
< USA Information > OSHA STATUS : This product is hazardous u TSCA STATUS : All components on TSCA IN		
TSCA Hazard Communication Program (40 C CERCLA REPORTABLE QUANTITY (40 CFR SARA TITLE III Section 313 (40 CFR 372)	R Part 721) (SNUR) : Not Ap	plicable
California Proposition 65		m dioxide e, unbound particles of respirable size)

Refer to any other federal, state, EU, national and local regulations.

SECTION 16 OTHER INFORMATION



EU RoHS(Directive 2011/65/EU)EU ELV(DIRECTIVE 2000/53/EC)

This data sheet may not be enough when evaluating danger or hazard. The above information, which is created from currently available documents, information and data, may be revised when new findings announced. This document has been written on the assumption that when dealing with a large amount of ink on the business case and emergency. When handling as a normal product, please refer to the notes that is described in the produce or packaging. The information contained herein is not intended to provide any kind of warranty other than information, there is no guarantee for the accuracy of the content.