🍤 Shachihata

Safety Data Sheet (MSDS)

Artline Xstamper

Issued Date : Nov. 5th, 2018 Revised Date :

rating

40

SECTION 1 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION Colour : (White) **Product Name** : Artline Decorite EDF-1, EDF-3, EDF-F Artline Decorite **Company Name** : Shachihata Inc. Address : 4-69, Amazuka-cho, Nishi-ku, Nagoya City, 451-0021, Japan Artline Decorite Telephone : + 81- 52- 521- 3600 : + 81- 52- 521- 3899 Fax Artline Decorite C-Contact (e-mail) : chem-analysis@ngy.shachihata.co.jp : + 81- 52- 521- 3600 (Shachihata Inc. [Japan]) **Emergency Call** Recommended use : Marker ink



SECTION 2 HAZARDS IDENTIFICATION

GHS Classification Physical Hazards	: Not classified	
Health Hazards		
Carcinogenicity	Classification not possible	
Environmental Hazards	: Classification not possible	
LABEL ELEMENTS		
Symbols	: none	
Signal word	: none	
Hazard statement	: none	
Precautionary statemen	t	
[Prevention]		
Wash hands thoroughly after handling. (P264)		(P264)
[Response]		
IF IN EYES : Rinse cautiously with water for several minutes. (P305+P351+		(P305+P351+P338)
Remove o	contact lenses, if present and easy to do. Continue rinsing.	
If eye irritation persists : Get medical advice and attention. (P337+P313)		(P337+P313)
[Storage]		
Store in a well-ventilated place. Keep cool. (P403+P235)		(P403+P235)
[Disposal]		
Dispose of contents and container in accordance with local regulations.		(P501)

SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture Ingredients :

Chemical Name / Generic name	Composition weight %	CAS Registry No.	Hazard Class (category)	Hazard statement
	ŭ			
Ethanol	1 ~ 5	64-17-5	Flam. Liq. 2	H225
Water	50 ~ 60	7732-18-5	none	none
Synthetic resin	5 ~ 15	Confidential	none	none
Titanium dioxide	25 ~ 35	13463-67-7	none	none
Others	1 ~ 5	Confidential	none	none
total	100			

SECTION 4 FIRST-AID MEASURES

IF INHALED	: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
	Consult a doctor if symptoms persist.

- **IF ON SKIN** : Remove / Take off immediately all contaminated clothing. Wash with soap and water. If skin irritation/rash occurs or feel unwell, consult a doctor for medical advice.
- **IF IN EYES** : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.
- **IF SWALLOWED** : After rinse mouth immediately, give about 250 ml of water or milk and thin in the stomach, and do not vomit forcibly. Moreover, do not give anything from the mouth to the patient when not conscious. Receive the doctor's treatment (stomach pump) promptly.

SECTION 5 FIRE-FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA : Dry chemical powder, foam or carbon dioxide

UNSUITABLE EXTINGUISHING MEDIA : none

SPECIFIC EXTINCTION METHOD

For initial stage extinction, carbon dioxide or dry chemical powder.

When a fire extends, fire is extinguished by a large amount of water spray.

Do not discharge extinguishing waters into the aquatic environment.

SPECIAL PROTECTIVE FOR FIRE- FIGHTERS

In the extinction work, an appropriate protective equipment (gloves, glasses, and mask) has to be worn. Because during a fire, hazardous gases may be generated, fire-fighters have to wear self-contained breathing apparatus and other protective equipment.

SECTION 6 ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Evacuate personnel to safe area. Shut off all sources of ignition.

No Flares, smoking or flame in area. Put on protective equipment. Ensure adequate ventilation.

ENVIRONMENTAL PRECAUTIONS

Do not throw the leakage thing directly into environment

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP

In case of a small spill, remove by absorbing with absorbents (sawdust, soil, sand, waste cloth, etc.), and then wipe off the waste well with waste cloth, and rag.

In case of large spills, prevent leakage by enclosing with nonflammables (earth and sand, etc.)

and collect into empty container by scoop, suction equipment or the like.

SECONDARY ACCIDENT PREVENTION MEASURE

All ignition sources should be quickly removed. (No smoking in vicinity, prohibit sparks or fire sources.)

SECTION 7 HANDLING AND STORAGE

SECTION 7 HA	NDLING AND STORAGE	
 Handling : Use with adequate ventilation. Avoid contact with skin, eyes and clothing. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not eat, drink or smoke when using this product. 		
Keep awa	tainers tightly closed and store in a cool and dry place. In from heat and flame, ignition source and sunlight. of the reach of children.	
SECTION 8 EX	POSURE CONTROLS AND PERSONAL PROTECTION	
OCCUPATIONAL EXP	OSURE LIMIT	
ACGIH (2018)		
Ethanol Titanium dioxide	STEL 1,000 ppm TWA 10 mg/m ³	
	TO HIGHT	
OSHA PEL Ethanol	TWA 1,000 ppm	
Titanium dioxide	TWA 15 mg/m^3	
DIRECTIVE 2000/39	-	
Japan Society for Oc Titanium dioxide	cupational Health (2018) Dusts Class 2 OEL (total dust) 4 mg/m ³	
PERSONAL PROTECT	ION	
Respiratory Protection	 Dn : Use with local exhaust ventilation, when in long use. Avoid breathing vapours. Wear mask to prevent organic gas, if necessary. 	
Hand Protection	: Avoid contact with hands. Wear safety gloves, if necessary.	
Eye Protection	: Avoid contact with eyes. Wear safety glasses, if necessary.	
Skin Protection	: Avoid skin contact. Wear personal protection apron, boots, if necessary.	
SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES		
Appearance	: white liquid	
Odour	: none	
рН	: No data available	
Boiling point	: 78 ~ 100 °C	
Flash point	: Not applicable (closed cup)	
Relative Density (at 25	5° C) ∶ 1.2 ~ 1.4 (g/cm ³)	
Solubility in Water	: soluble	

SECTION 10 STABILITY AND REACTIVITY

Stability	Stable under normal handling.
Conditions to Avoid	: High temperature, Direct sunlight, Fire
Incompatible Materials	: Strong oxidising agents
Hazardous Decomposition Products	: CO, CO ₂

SECTION 11 TOXICOLOGICAL INFORMATION

Acute toxicity	: LD/LC50 values that are relevant for classification		
	[Ethanol]		
	Oral-rat	LD50	>5,000 mg/kg
	Inhalation-rat	LC50	>20 mg/L/4h
Carcinogenicity	: Titanium dioxide ha	as been clas	ssified by the IARC as Group 2B.

Other materials ; Not contain any component that is considered

[ISO11014:2009] [Shachihata Inc.] [EDF_white_a] 4/4

a human carcinogen by IARC, ACGIH, EPA, EU or NTP.

Regarding the carcinogenicity of titanium dioxide. International Agency for Research on Cancer (IARC) has classified as a group 2B. However, ACGIH (American Conference of Governmental Industrial Hygienists), EPA (Environmental Protection Agency), EU (European Chemicals Agency), NTP (National Toxicology Program, USA) in the classification of suspected carcinogenic to humans has not been done. Therefore, as the ink product we could not classify the carcinogenicity of GHS from that there is no sufficient data.

SECTION 12 ECOLOGICAL INFORMAT	TION
Hazardous to the aquatic environment (acute)	: Classification not possible
Hazardous to the aquatic environment (chronic)	: Classification not possible
Hazardous to the ozone layer	: Classification not possible

SECTION 13 DISPOSAL CONSIDERATIONS

Disposal must be made according to official regulations.

Comply with all Federal, State, and Local regulations regarding disposal.

Do not allow product to reach ground, any water course or sewage system.

SECTION 14 TRANS	SPORT INFORMATION	
UN number	(DOT, ADR, IMDG, IATA)	: none
UN proper shipping name	(DOT, ADR, IMDG, IATA)	: none
UN Classification		: none
Packing group	(DOT, ADR, IMDG, IATA)	: none
Marine pollutant (Y/N)		: N
EmS number		: none

SECTION 15 REGULATORY INFORMATION

< EU Information >	
--------------------	--

Regulation (EC) No 1272/2008	3 (CLP)	
Substance name	: [Ethanol]	
Hazard Class & Category	: Flammable liquids, Category 2	
Symbols	: GHS02	
Signal word	: Danger	
Hazard statements	: H225 Highly flammable liquid and vapour	
USA Information >		
OSHA STATUS : This product is not hazardous under 29 CFR 1910.1200.		

< U

- TSCA Hazard Communication Program (40 CFR Part 721) (SNUR) CERCLA REPORTABLE QUANTITY (40 CFR 117,302)
- SARA TITLE II Section 313 (40 CFR 372)
- California Proposition 65

- : Not Applicable : Not Applicable
- : Not Applicable
- : Titanium dioxide
- (airborne, unbound particles of respirable size)

Refer to any other federal, state, EU, national and local regulations.

SECTION 16 OTHER INFORMATION



created from currently available documents, information and data, may be revised when new findings announced. This document has been written on the assumption that when dealing with a large amount of ink on the business case and emergency. When handling as a normal product, please refer to the notes that is described in the produce or packaging. The information contained herein is not intended to provide any kind of warranty other than information, there is no guarantee for the accuracy of the content.

This data sheet may not be enough when evaluating danger or hazard. The above information, which is

EU RoHS Directive(2011/65/EC) ELV Directive(2000/53/EC)