

Safety Data Sheet (MSDS)

Issued Date: 16 May 2008 Revised Date: 23 December 2020

SECTION 1	CHEMICAL PRODUCT AND COMPANY IDENTIFICATION	
Product Name	: Artline Permanent Markers Colour : (Blue) EK-170, EK-190	RMANENT Y SAFE INK Without drying outs
Company Name Address Telephone Fax Contact (e-mail) Emergency Call Recommended us	 + 81- 52- 521- 3899 <u>chem-analysis@ngy.shachihata.co.jp</u> + 81- 52- 521- 3600 (Shachihata Inc. [Japan]) Permanent marker ink 	O PERMANENT
SECTION 2	HAZARDS IDENTIFICATION	
GHS Classification Physical Hazaro Flammable liq	ds	
Health Hazards Serious eye da Specific targe	amage Category 1 t organ toxicity ; single exposure Category 3 (narcotic effects)	
Hazardous to	Hazardsthe aquatic environment (acute)Classification not possiblethe aquatic environment (chronic)Classification not possiblethe ozone layerClassification not possible	
LABEL ELEMENTS Symbols		
Signal word	: Danger	
Hazard stateme	nt : Flammable liquid and vapour Causes serious eye damage May cause drowsiness or dizziness	(H226) (H318) (H336)
Precautionary (Prevention)		
Keep away fro Take precauti Avoid breathir		(P102) (P210) (P243) (P261)
Wear eye prot 【Response】	oors or in a well-ventilated area. tection. : Use dry chemical powder, foam or carbon dioxide to extinguish.	(P271) (P280) (P370+P378)
IF INHALED : IF IN EYES : F	Remove contact lenses, if present and easy to do. Continue rinsing.	(P304+P340) (P305+P351+P338)
	persists : Get medical advice and attention. all a POISON CENTER or physician.	(P337+P313) (P310)

Immediately call a POISON CENTER or physician.



⁽P310)

IF ON SKIN (or hair) : Take off immediately all contaminated clothing. Rinse skin with water.
If skin irritation occurs : Get medical advice and attention.
[Storage]
Store in a well-ventilated place. Keep container tightly closed.
[Disposal]
Dispose of contents and container in accordance with local regulations.

(P403+P233) (P501)

(P303+P361+P353)

(P332+P313)

SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture Ingredients :

Chemical Name /	Composition	CAS	Hazard Class	Hazard statement
Generic name	weight %	Registry No.	(category)	
Propan-1-ol	80 ~ 90	71-23-8	Flam. Liq. 2 Eye Dam. 1	H225 H318
			STOT. SE. 3	H336
Synthetic resin	5 ~ 15	Confidential	none	none
Dyestuff	1 ~ 5	Confidential	none	none
Additive	1 ~ 5	Confidential	none	none
total	100			

SECTION 4 FIRST-AID MEASURES

SECTION E	
IF SWALLOWED	After rinse mouth immediately, give about 250 ml of water or milk and thin in the stomach, and do not vomit forcibly. Moreover, do not give anything from the mouth to the patient when not conscious. Receive the doctor's treatment (stomach pump) promptly.
IF IN EYES	 Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.
IF ON SKIN	 Remove / Take off immediately all contaminated clothing. Wash with soap and water. If skin irritation/rash occurs or feel unwell, consult a doctor for medical advice.
IF INHALED	 Remove victim to fresh air and keep at rest in a position comfortable for breathing. Consult a doctor if symptoms persist.

SECTION 5 FIRE-FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA

: Dry chemical powder, foam or carbon dioxide

UNSUITABLE EXTINGUISHING MEDIA : Water jet

SPECIFIC EXTINCTION METHOD

For initial stage extinction, carbon dioxide or dry chemical powder.

When a fire extends, fire is extinguished by a large amount of water spray.

Do not discharge extinguishing waters into the aquatic environment.

SPECIAL PROTECTIVE FOR FIRE- FIGHTERS

In the extinction work, an appropriate protective equipment (gloves, glasses, and mask) has to be worn. Because during a fire, hazardous gases may be generated, fire-fighters have to wear self-contained breathing apparatus and other protective equipment.

SECTION 6 ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Evacuate personnel to safe area. Shut off all sources of ignition.

No Flares, smoking or flame in area. Put on protective equipment. Ensure adequate ventilation.

ENVIRONMENTAL PRECAUTIONS

Do not throw the leakage thing directly into environment

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP

In case of a small spill, remove by absorbing with absorbents (sawdust, soil, sand, waste cloth, etc.), and then wipe off the waste well with waste cloth, and rag.

In case of large spills, prevent leakage by enclosing with nonflammables (earth and sand, etc.)

[ISO11014:2009][Shachihata Inc.] [EK-170_blue_k] 3/5

and collect into empty container by scoop, suction equipment or the like.

SECONDARY ACCIDENT PREVENTION MEASURE

		removed. (No smoking in vicinity, prohibit sparks or fire sources.)	
SECTION 7	HANDLING AND	D STORAGE	
	Do not eat, drink or smoke	yes and clothing. s before use. ety precautions have been read and understood.	
Storage .		flame, ignition source and sunlight.	
SECTION 8	EXPOSURE CON	NTROLS AND PERSONAL PROTECTION	
	NAL EXPOSURE LIMIT		
ACGIH (2 Propan	,	A 100 ppm	
OSHA PE			
Propan			
	'E 2000/39/EC	None	
	ciety for Occupational Health PROTECTION		
Respirator Hand Pro Eye Prote Skin Prote	Avoid breat tection : Avoid cont ection : Avoid cont	local exhaust ventilation, when in long use. eathing vapours. Wear mask to prevent organic gas, if necessary. ntact with hands. Wear safety gloves, if necessary. ntact with eyes. Wear safety glasses, if necessary. n contact. Wear personal protection apron, boots, if necessary.	
SECTION 9	PHYSICAL AND	CHEMICAL PROPERTIES	
Appearance	: Blue liquid	id	
Odour	: Minor solv	lvent odour	
рН	: Not applic	cable	
Boiling poin	t : 97 °C		
		losed cup)	
Flash point	: 25 °C (clc		
-	: 25 °C (cic nsity (at 25°C) ∶ 0.8 ~ 0.9	(g/cm ³)	
-	nsity (at 25°C) ∶ 0.8 ~ 0.9		
Relative Der	nsity (at 25°C) : 0.8 ~ 0.9 Water : Insoluble		
Relative Der Solubility in	nsity (at 25°C) : 0.8 ~ 0.9 Water : Insoluble		
Relative Der Solubility in SECTION 10	nsity (at 25°C):0.8 ~ 0.9Water:InsolubleSTABILITY AND	D REACTIVITY	
Relative Der Solubility in SECTION 10 Stability	nsity (at 25°C) : 0.8 ~ 0.9 Water : Insoluble STABILITY AND	D REACTIVITY : Stable under normal handling.	
Relative Der Solubility in SECTION 10 Stability Conditions f	nsity (at 25°C) : 0.8 ~ 0.9 Water : Insoluble STABILITY AND	 D REACTIVITY : Stable under normal handling. : High temperature, Direct sunlight, Fire 	
Relative Der Solubility in SECTION 10 Stability Conditions f	Asity (at 25°C) : 0.8 ~ 0.9 Water : Insoluble STABILITY AND STABILITY AND to Avoid the Materials Decomposition Products	 DREACTIVITY Stable under normal handling. High temperature, Direct sunlight, Fire Strong oxidising agents 	
Relative Der Solubility in SECTION 10 Stability Conditions f Incompatibl Hazardous I	Asity (at 25°C) : 0.8 ~ 0.9 Water : Insoluble STABILITY AND STABILITY AND to Avoid the Materials Decomposition Products TOXICOLOGICA	 DREACTIVITY Stable under normal handling. High temperature, Direct sunlight, Fire Strong oxidising agents CO, CO₂ 	

Oral-rat	LD50	>2,000 mg/kg
Dermal-rabbit	LD50	>2,000 mg/kg
Inhalation-rat	LC50	>20 mg/L/4h

[ISO11014:2009][Shachihata Inc.] [EK-170_blue_k] 4/5		
Serious eye damage	: Category 1	Causes serious eye damage	
Specific target organ toxici (single exposure)	ty : Category 3	May cause drowsiness or dizziness	
Carcinogenicity	 This product does not contain any component that is considered a human carcinogen by IARC, ACGIH, EPA, EU or NTP. 		
SECTION 12 ECOLO	GICAL INFORMA	ATION	
Hazardous to the aquatic e	nvironment (acute)	: Classification not possible	
Hazardous to the aquatic e	nvironment (chronic) Classification not possible	

: Classification not possible

Hazardous to the ozone layer

SECTION 13 DISPOSAL CONSIDERATIONS

Disposal must be made according to official regulations.

Comply with all Federal, State, and Local regulations regarding disposal.

Do not allow product to reach ground, any water course or sewage system.

SECTION 14 TRANS	PORT INFORMATION	
UN number	(DOT, ADR, IMDG, IATA)	: UN1993
UN proper shipping name	(DOT, ADR, IMDG, IATA)	: FLAMMABLE LIQUID, N.O.S. (Propan-1-ol)
UN Classification		: 3
Packing group	(DOT, ADR, IMDG, IATA)	: Ш
Marine pollutant (Y/N)		: N
EmS number		: F-E,S-E

☆☆

Artline Permanent Marker (EK-170, EK-190) is not a Dangerous Goods by the special provision.

Artline Permanent Marker (El	K-170,EK-190)	(The amount of ink : less than 10ml)
UN number	: UN3175	
UN proper shipping name	: Solids containing Fl	ammable Liquid. n.o.s.
ΙΑΤΑ	Special Provision A	46
IMDG Code	Special Provision 2 ²	16
According to IATA Special Press	ovision A46, and IMDG	Code Special Provision 216, small inner packagings consisting
	5) mL of a Class 3 liquid in Packing Group II or III absorbed
	subject to as a hazardou	s material/dangerous goods provided there is no free liquid in
the packet or article.		

SECTION 15 REGULATORY INFORMATION

< EU Information >

Regulation (EC) No 1272/2008 (CLP)

Substance name	: [Propan-1-ol]	
Hazard Class & Category	: Flammable liquids, Category 2	
	Serious eye damage, Category 1	
	Specific target organ toxicity - single exposure, Category 3	3
Symbols	: GHS02,GHS07,GHS05	
Signal word	: Danger	
Hazard statements	: H225 Highly flammable liquid and vapour	
	H318 Causes serious eye damage	
	H336 May cause drowsiness or dizziness	

< USA Information >

OSHA STATUS : This product is hazardous under 29 CFR 1910.1200.TSCA STATUS : All components on TSCA INVENTORY.TSCA Hazard Communication Program (40 CFR Part 721) (SNUR)CERCLA REPORTABLE QUANTITY (40 CFR 117,302)SARA TITLE III Section 313 (40 CFR 372)SARA TITLE III Section 313 (40 CFR 372)

California Proposition 65

: Not listed

Refer to any other federal, state, EU, national and local regulations.

SECTION 16 OTHER INFORMATION



This data sheet may not be enough when evaluating danger or hazard. The above information, which is created from currently available documents, information and data, may be revised when new findings announced. This document has been written on the assumption that when dealing with a large amount of ink on the business case and emergency. When handling as a normal product, please refer to the notes that is described in the produce or packaging. The information contained herein is not intended to provide any kind of warranty other than information, there is no guarantee for the accuracy of the content.

EU RoHS (Directive 2011/65/EU) EU ELV (DIRECTIVE 2000/53/EC)